

EAST Search History

10/138,542

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	517	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L2	373	L1 and interface and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L3	371	L2 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L4	59	L1 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L5	38	L4 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L6	4	L1 and (location near2 application) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L7	0	L1 and (location near2 application) and 707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L8	2	L1 and (location near2 application) and 707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L9	20	L4 and (Java adj bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11

EAST Search History

L10	1	L9 and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L11	4	L1 and (location near2 application) and 707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L12	4	("7020697" or "6510450").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L13	2	("7020697" or "6510450").pn.	USPAT	OR	ON	2007/04/09 18:11
L14	517	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L15	373	L14 and interface and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L16	371	L15 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L17	59	L14 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L18	4	L14 and (location near2 application) and 707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L19	38	L17 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11

EAST Search History

L20	4	L14 and (location near2 application) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L21	0	L14 and (location near2 application) and 707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L22	2	L14 and (location near2 application) and 707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L23	20	L17 and (Java adj bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L24	1	L23 and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L25	3	"20020116457"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L26	3	"20060004877"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L27	517	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L28	4	L27 and (location near2 application) and 707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L29	59	L27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11

EAST Search History

L30	20	L29 and (Java adj bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L31	1	L30 and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L32	0	L27 and (location near2 application) and 707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L33	4	707/104.1.ccls. and L27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L34	373	L27 and interface and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L35	2	L27 and (location near2 application) and 707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L36	4	L27 and (location near2 application) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L37	38	L29 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L38	0	707/101.ccls. and L27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L39	371	L34 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11

EAST Search History

L40	0	707/6.ccls. and L27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L41	2	("7020697" or "6510450").pn.	USPAT	OR	ON	2007/04/09 18:11
L42	517	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L43	373	L42 and interface and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L44	371	L43 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L45	517	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L46	4	L42 and (location near2 application) and 707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L47	4	707/104.1 and L27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:41
L48	59	L42 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L49	38	L48 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11

EAST Search History

L50	4	("7020697" or "6510450").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L51	4	L42 and (location near2 application) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L52	0	L42 and (location near2 application) and 707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L53	2	L42 and (location near2 application) and 707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L54	20	L48 and (Java adj bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L55	1	L54 and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L56	3	"20020116457"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:11
L57	3	"20060004877"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:14
L58	22	707/104.1.ccls. and @ad > "20060901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:15
L59	8	707/103R.ccls. and @ad > "20060901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:15

EAST Search History

L60	4	707/103R.ccls. and L27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:41
L61	4	707/3.ccls. and L27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 18:41
S1	485	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 11:28
S2	351	S1 and interface and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:19
S3	349	S2 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:20
S4	56	S1 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:15
S5	35	S4 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:21
S6	19	S4 and (Java adj bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:33
S7	1	S6 and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:28
S8	4	S1 and (location near2 application) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:24

EAST Search History

S9	4	S1 and (location near2 application) and 707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:29
S10	0	S1 and (location near2 application) and 707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:25
S11	2	S1 and (location near2 application) and 707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 18:25
S12	4	("7020697" or "6510450").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 07:33
S13	2	("7020697" or "6510450").pn.	USPAT	OR	ON	2006/12/22 07:33
S14	504	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S15	364	S14 and interface and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S16	362	S15 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S17	59	S14 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S18	38	S17 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55

EAST Search History

S19	4	S14 and (location near2 application) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S20	0	S14 and (location near2 application) and 707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S21	2	S14 and (location near2 application) and 707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S22	20	S17 and (Java adj bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S23	1	S22 and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S24	4	S14 and (location near2 application) and 707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 08:55
S25	2	"20020116457"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 10:32
S26	2	"20060004877"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 11:29
S27	517	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:15
S28	4	707/104.1 and S27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:15

EAST Search History

S29	0	707/101.ccls. and S27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S30	4	707/104.1.ccls. and S27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S31	0	707/6.ccls. and S27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S32	517	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S33	373	S27 and interface and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S34	371	S33 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S35	59	S27 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S36	38	S35 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S37	4	S27 and (location near2 application) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S38	0	S27 and (location near2 application) and 707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16

EAST Search History

S39	2	S27 and (location near2 application) and 707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S40	20	S35 and (Java adj bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S41	1	S40 and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S42	4	S27 and (location near2 application) and 707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S43	4	("7020697" or "6510450").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S44	2	("7020697" or "6510450").pn.	USPAT	OR	ON	2007/04/08 12:16
S45	517	(nam\$4 near2 directory near2 service) and @ad < "20031217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S46	373	S45 and interface and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S47	371	S46 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S48	59	S45 and (location near2 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16

EAST Search History

S49	4	S45 and (location near2 application) and 707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S50	38	S48 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S51	4	S45 and (location near2 application) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S52	0	S45 and (location near2 application) and 707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S53	2	S45 and (location near2 application) and 707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S54	20	S48 and (Java adj bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S55	1	S54 and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S56	3	"20020116457"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
S57	3	"20060004877"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [...](#)

Terms used

[naming](#) [interface](#) [request](#) [directory](#) [java](#) [bean](#) [interface](#) [service](#) [change](#) [object](#) [location](#) [reference](#) [behavior](#) [n](#)

Sort results by

Display results

[Save results to a Binder](#)

[Search Tips](#)

☐ Open results in a new window

Try an [Advanced](#) :
Try this search in

Results 1 - 6 of 6

1 [MJ: a rational module system for Java and its applications](#)



John Corwin, David F. Bacon, David Grove, Chet Murthy

October 2003 **ACM SIGPLAN Notices , Proceedings of the 18th annual ACM SIGPLAN conference on programming, systems, languages, and applications OOPSLA '03**, Volume 38 Issue

Publisher: ACM Press

Full text available: [pdf\(208.83 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [in](#)

While Java provides many software engineering benefits, it lacks a coherent module system and packages (which are primarily a name space mechanism) and classloaders (which are very low-level applications suffer from unexpected interactions between independent components, require configuration and are often extremely complex to install and maintain. We have implemented a module system implemented with class ...

Keywords: Java, components, language design, modularity

2 [Workshop on compositional software architectures: workshop report](#)



May 1998 **ACM SIGSOFT Software Engineering Notes**, Volume 23 Issue 3

Publisher: ACM Press

Full text available: [pdf\(2.91 MB\)](#) Additional Information: [full citation](#), [index terms](#)

3 [Architecture and distributed systems: Using Jini to enable pervasive computing environments](#)



Karthik Harihar, Stan Kurkovsky

March 2005 **Proceedings of the 43rd annual Southeast regional conference - Volume 1 A**

Publisher: ACM Press

Full text available: [pdf\(334.02 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Pervasive computing is a vision aimed at facilitating access to information anywhere and anytime. Mobile devices interact seamlessly to aid the users in their tasks. As the enabling hardware becomes cheaper this vision is poised to become a reality. While hardware devices form the building blocks of pervasive environments, a pervasive environment requires a robust software technology that can integrate them. This paper discusses ...

Keywords: Jini, mobile devices, pervasive computing, smart services

4 Survey of requirements and solutions for ubiquitous software



Eila Niemelä, Juhani Latvakoski

October 2004 **Proceedings of the 3rd international conference on Mobile and ubiquitous m**

Publisher: ACM Press

Full text available: pdf(189.05 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

Ubiquitous computing embeds computer technology in our everyday environment, providing a h services and applications through any device over different kinds of networks. Ubiquitous comp prerequisite for pervasive computing that emphasizes mobile data access and the mechanisms i community of nomadic users. Ubiquitous software is the software required in ubiquitous comput paper surveys the challenges and state-o ...

Keywords: adaptability, interoperability, pervasive computing, software architecture, ubiquitous

5 Session 1A: agent oriented software engineering: From AOSE methodology to agent imple



Philippe Massonet, Yves Deville, Cédric Nève

July 2002 **Proceedings of the first international joint conference on Autonomous agent systems: part 1 AAMAS '02**

Publisher: ACM Press

Full text available: pdf(205.06 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [in](#)

This article investigates the transition between semi-formal AOSE methodologies and FIPA comp tools. It focuses on the translation between an implementation independent design and an impl detailed design/ implementation. It is illustrated on a case study using a subset of the MESSAGI modelling language extends the UML, the JADE development framework and the Jess rule basec shows how the implementation is par ...

Keywords: FIPA, JADE, UML, agent-based software engineering, experimentation, methodolog

6 Distributed systems and grid computing (DSGC): J2EE server scalability through EJB repli



Sylvain Sicard, Noel De Palma, Daniel Hagimont

April 2006 **Proceedings of the 2006 ACM symposium on Applied computing SAC '06**

Publisher: ACM Press

Full text available: pdf(568.10 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index ter](#)

With the development of Internet-based business, Web applications are becoming increasingly c specification aims at enabling the design of such web application servers. These servers have to availability of the supported applications. Scalability can be achieved using replication technique: The aim of this paper is to compare these approaches. In a J2EE web application server, one im EJB tier. In this con ...

Keywords: EJB, J2EE, partition, replication, scalability

Results 1 - 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 A
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Re:](#)

kuen_lu@hotmail.com | [Search History](#) | [My Account](#) | [Sign out](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

request directory java bean interface service c

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 55 of 55 for request directory java bean interface service change object location referenc

WebSphere Application Server Express, Version 5.0.x Product ...

Migrating Common **Object Request** Broker Architecture programmatic login to **Java ...**

Developing a **Service Endpoint Interface** for a **Java bean** implementation ...

publib7b.boulder.ibm.com/webapp/wasinfo1/index.jsp?deployment=ApplicationServer -

[Similar pages](#) - [Note this](#)

websphere application server information center

Migrating Common **Object Request** Broker Architecture programmatic login to **Java**

Authentication and Authorization **Service** (CORBA and JAAS) ...

publib.boulder.ibm.com/infocenter/wasinfo/v6r0/index.jsp?topic - [Similar pages](#) - [Note this](#)

[PDF] Java technologies --table of contents

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Naming **services** provide name-to-**object** mappings. **Directory services ... Java** Naming and **Directory Interface** or JNDI provides a common **interface** that is used ...

publib.boulder.ibm.com/.../wasinfo/v4r0/

topic/com.ibm.websphere.v4.doc/wass_content/pdf/nav_javatech.pdf -

[Similar pages](#) - [Note this](#)

[[More results from publib.boulder.ibm.com](#)]

CHAPTER 3 Naming on JBoss - The JNDI Naming Service

The JBoss naming **service** is an implementation of the **Java** Naming and **Directory Interface** (JNDI). JNDI plays a key role in J2EE because it provides a naming ...

docs.huihoo.com/jboss/online_manual/3.2.3/Chap3.html - 150k -

[Cached](#) - [Similar pages](#) - [Note this](#)

CHAPTER 2 The JBoss JMX Microkernel

This is similar to the **JavaBean** property **change** notification mechanism, ... The JMX agent **services** are **objects** that support standard operations on the ...

docs.huihoo.com/jboss/online_manual/3.2.3/Chap2.html - 546k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from docs.huihoo.com](#)]

Finding named EJB homes via life cycle support - Patent 6745250

As part of these standards, an **Object Request** Broker has been defined as part of the Common ... Also, there is a "**Java** Naming and **Directory Interface**, ...

www.freepatentsonline.com/6745250.html - 67k - [Cached](#) - [Similar pages](#) - [Note this](#)

System and method for rules-based web scenarios and campaigns ...

JNDI **Java Directory** and **Naming Interface**. ... 13, an event **service bean** 310 is used to feed notice of events 312 into one or more pluggable asynchronous ...

www.freepatentsonline.com/20030217333.html - 100k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.freepatentsonline.com](#)]

[PDF] J/sup TMN/ : a Java-based TMN development and experimentation ...

File Format: PDF/Adobe Acrobat

(14 **request** and response **service** primitives) is not supposed to. **change**. Indeed this **interface** is ... a **naming interface** which forces each managed **object** to ...

ieeexplore.ieee.org/jiel5/49/18260/00842983.pdf - [Similar pages](#) - [Note this](#)

[DOC] Sun Certified Enterprise Architect - Quick Reference

File Format: Microsoft Word - [View as HTML](#)

Java Directory and Naming Interface (JNDI) is a standard **interface** to naming ... other **objects** with more state and **behaviour** should be **beans** on their own. ...
stephane.weber1.free.fr/SCEA/Notes/Chris_Broecker_Notes.doc - [Similar pages](#) - [Note this](#)

JBoss 4.0 The Official Guide - The JBossNS Architecture

JBoss AOP: EJB-Style **Services** for Plain **Java Objects** ... In addition, the NamingService exposes the **Naming interface** operations through a JMX detyped invoke ...

[www.ubookcase.com/book/Sams/JBoss.](http://www.ubookcase.com/book/Sams/JBoss.4.0.The.Official.Guide/0672326485/ch03lev1sec2.html)

4.0.The.Official.Guide/0672326485/ch03lev1sec2.html - 101k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] BEA WebLogic Enterprise

File Format: PDF/Adobe Acrobat - [View as HTML](#)

JNDI SPI: **Java Naming and Directory Service Provider Interface**, ... must be able to get an **object reference** for a remote **object** and invoke operations on ...

edocs.bea.com/wle/pdf/jndi.pdf - [Similar pages](#) - [Note this](#)

[PDF] Different Aspects of Integration of Heterogenous Server Systems ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Object Request Broker. 13. Remote Method Invocation. 14. **Java Naming and Directory Interface**. 15. Voyager federated **directory service** ...

www.iicm.tugraz.at/thesis_85/cdaller.pdf - [Similar pages](#) - [Note this](#)

[PDF] Distributed Geospatial Data Access on the WWW

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Common Gateway **Interface**. CORBA Common **Object Request Broker** Architecture ... **reference behavior** from the client stub. Any call initiated by the stub is ...

www.cs.unb.ca/tech-reports/files/TR01_139.pdf - [Similar pages](#) - [Note this](#)

[PDF] Distributed Applications

File Format: PDF/Adobe Acrobat

A **directory service** is a name **service** containing **object** names and ... access of the RMI registry via the **java.rmi.Naming** class. • **Naming interface** methods ...

www.lrr.in.tum.de/~gerndt/home/Pruefungen/VerteilteArchitekturenSchlichter2005.pdf -

[Similar pages](#) - [Note this](#)

Technical Interview Questions For Freshers - Yuva Jobs

When can an **object reference** be cast to an **interface reference**? ... What is **Java Naming and Directory Service**? - The JNDI provides naming and **directory** ...

www.yuvajobs.com/technicalquestions/java.htm - 297k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Highly Available Monitoring System Architecture (HAMSA)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

As described in Section 3 HAMSA uses a naming and **directory service** to enable ...

objects as Java Beans. JMX **Bean** is an **object** that serves as a **Java** wrapper ...

www.cs.huji.ac.il/~dolev/pubs/thesis/gleb_shaviner_thesis.pdf - [Similar pages](#) - [Note this](#)

[PDF] Writing Optimized Java Applications for z/OS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A facade **interface** is an **object** that. adds a layer between the **service** ... To **change** cache **behavior** for a **Java** client running on z/OS or OS/390, use ...

www.redbooks.ibm.com/redbooks/pdfs/sg246541.pdf - [Similar pages](#) - [Note this](#)

[PDF] Migrating WebLogic Applications to WebSphere Advanced Edition V4

File Format: PDF/Adobe Acrobat

Netscape **Directory** Server, Novell **Directory** Services, OpenLDAP **Directory** ... An EJB home is a **Java** **interface** for a factory **object**. That factory **object** ...
www.redbooks.ibm.com/redbooks/pdfs/sg246179.pdf - [Similar pages](#) - [Note this](#)
[[More results from www.redbooks.ibm.com](#)]

JOnAS 4.8 EE Configuration guide

(**Java** **Data** **Objects**) **API** is a standard **interface**-based **Java** model ... (**Java** **Naming** **Directory** **Interface**) Standard **API**/**SPI** for **Java** **EE** **naming** **interface**. ...
jonas.objectweb.org/current/doc/configuration_guide.html - 306k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] JOnAS 4.8 EE Configuration guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)
the High Availability **service** provides stateful session **beans** replication. ... (**Java** **Naming** **Directory** **Interface**) Standard **API**/**SPI** for **Java** **EE** ...
jonas.objectweb.org/doc/configuration_guide.pdf - [Similar pages](#) - [Note this](#)

[PS] Pilarcos prototype II

File Format: Adobe PostScript - [View as Text](#)
other, the **service** contract also contains an **interface** **reference** to the federation manager ... adaptation point was implemented as an Enterprise **Java** **Bean**. ...
www.cs.helsinki.fi/group/pilarcos/deliverables/prototype_2.ps - [Similar pages](#) - [Note this](#)

[PDF] Textbook

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Message-driven **Beans** are **objects** that receive and process **JMS** ... and **directory** **services** from a **Java** application, and the **SPI** makes it possible to ...
www.fujitsu.com/downloads/MWCER/ICPAppServerCourse.pdf - [Similar pages](#) - [Note this](#)

[PDF] Space Details

File Format: PDF/Adobe Acrobat - [View as HTML](#)
More information on how to **change** the **behaviour** of the Grouper Struts actions is ... And methods return a **java** **object** which can be stored in a variable. ...
https://wiki.internet2.edu/confluence/download/attachments/2057/v1.0_Grouper_Documentation.pdf?version=2 - [Similar pages](#) - [Note this](#)

Lecture Notes in Computer Science:

MDS3 is not exactly equivalent to a Web **Services** **directory** **service** such as **UDDI**, ... shares features of **Object** technologies such as Enterprise **Java** **Beans**. ...
www.ict.csiro.au/staff/Paul.Brebner/TwoWaysToGridCurrentWeb.htm - 606k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Temporary Binding for Dynamic Middleware Construction and Web ...

File Format: PDF/Adobe Acrobat
to expose its **service** **behavior**. The reusability of component depends ... by name using **Naming** **interface**, **java**.**rmi**.**Naming**. A registered **object** can then be ...
deposit.ddb.de/cgi-bin/dokserv?idn=980539242&dok_var=d1&dok_ext=pdf&filename=980539242.pdf - [Similar pages](#) - [Note this](#)

Serialized Form (Java 2 Platform SE 6.0, b37)

Class **java**.**beans**.**PropertyChangeSupport** extends **Object** implements **Serializable** ... **object** from a **Java** **Directory** and **Naming** **Interface** (**JNDI**) **naming** **service**. ...
today.java.net/download/jdk6/doc/api/serialized-form.html - [Similar pages](#) - [Note this](#)

[PDF] The JBoss Group

File Format: PDF/Adobe Acrobat - [View as HTML](#)
How to find your **Objects** in JBoss by Scott Stark. JBoss provides an implementation of the 1.2.1 **Java** **Naming** and **Directory** **Interface** (**JNDI**) in the JBossNS ...

www2.i-u.de/resources/QuickStart-30x.pdf - [Similar pages](#) - [Note this](#)

Help -

Developing applications that use CosNaming (CORBA Naming interface) ... Client-side programming tips for the **Java Object Request Broker service** ...

infocenter.ubik-products.net/help/index.jsp - [Similar pages](#) - [Note this](#)

[PDF] Understanding LDAP

File Format: PDF/Adobe Acrobat

API set, which also includes Enterprise **Java Beans (EJB)** and **Java Database ... directory interface**. JNDI can access other **directory services** besides LDAP ...

jumpdoc.fz-juelich.de/doc_pdf/ldap/LDAP_Understanding.pdf - [Similar pages](#) - [Note this](#)

[PDF] LDAP Implementation Cookbook

File Format: PDF/Adobe Acrobat

also includes Enterprise **Java Beans (EJB)** and **Java Database Connectivity (JDBC)**. ... **naming interface**. The **directory interface** adds functionality to access ...

jumpdoc.fz-juelich.de/doc_pdf/ldap/LDAP_Implementation_Cookbook.pdf -

[Similar pages](#) - [Note this](#)

[PDF] JBoss Administration and Development

File Format: PDF/Adobe Acrobat - [View as HTML](#)

How to find your **Objects** in JBoss by Scott Stark. JBoss provides an implementation of the 1.2.1 **Java Naming and Directory Interface (JNDI)** ...

www.ragemedia.ca/archive/JBoss.3.0QuickStart.Draft4.pdf - [Similar pages](#) - [Note this](#)

[PDF] Middleware Architecture

File Format: PDF/Adobe Acrobat

location of the object). The **reference** itself may be obtained through various means, e.g., ... 7.7 Case Study 2: JOnAS, an Enterprise **Java Beans Service** ...

sardes.inrialpes.fr/~krakowia/MW-Book/main-onebib.pdf - [Similar pages](#) - [Note this](#)

[PDF] Draft Study Report

File Format: PDF/Adobe Acrobat

Enterprise **Java Beans**, **Java** transaction API, **Java** message **service**, **Java** ... visible **behaviour** of the system. 7.4.1. **Directory / Naming Interface** ...

www.eurocontrol.int/.../docs/OATA-P2-D6.1-01%20Basic%20Principles%20For%20Cross-Domain%20Synchronisation.pdf - [Similar pages](#) - [Note this](#)

[PDF] Ingenierie de la gestion de reseaux et de services : du mod`ele ...

File Format: PDF/Adobe Acrobat

Java Message **Service**. **JMX**. **Java** Management eXtensions. **LDAP**. **Lightweight Directory Access Protocol**. **LOBSTERS** Language for **Object Behaviour** Specification ...

www.loria.fr/~festor/doc/HDR/OlivierFestor.pdf - [Similar pages](#) - [Note this](#)

[PDF] IBM WebSphere Application Server, Version 5.0.2: Applications

File Format: PDF/Adobe Acrobat

PageListServlet, inspects the HttpServletRequest **object request** headers; and ... server **Java** Naming and **Directory Interface** (JNDI) naming context and the ...

[ftp://ftp.software.ibm.com/software/webserver/appserv/library/wasv502base_apps.pdf](http://ftp.software.ibm.com/software/webserver/appserv/library/wasv502base_apps.pdf) -

[Similar pages](#) - [Note this](#)

[PDF] IBM WebSphere Application Server Enterprise, Version 5: J2EE Resources

File Format: PDF/Adobe Acrobat

The **Bean** Provider concentrates on the business logic of the **object** and ... uses this resource **reference** **Java** Naming and **Directory Interface** (JNDI) name to ...

[ftp://ftp.software.ibm.com/software/webserver/appserv/library/wasv5ee_j2ee_res2.pdf](http://ftp.software.ibm.com/software/webserver/appserv/library/wasv5ee_j2ee_res2.pdf) -

[Similar pages](#) - [Note this](#)

[[More results from ftp://ftp.software.ibm.com](#)]

EjinZ:InterviewQuestionsInJava

Java Naming and the Directory Service Naming service is needed to locate beans home interfaces or other objects (DataSource, UserTransaction) ...

24.12.140.54/YourHome/Wiki.jsp?page=InterviewQuestionsInJava - 742k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] JBoss Administration and Development

File Format: PDF/Adobe Acrobat

JavaBean property **change** notification mechanism, and can be used for ... the NamingContext is to act as a Context to the **Naming interface** adaptor that ...

lab.lpicn.org/pub/books/JBoss%20Administration%20and%20Development%202nd%20Ed%20(2002).pdf - [Similar pages](#) - [Note this](#)

[PDF] JBoss Administration and Development

File Format: PDF/Adobe Acrobat

JavaBean property **change** notification mechanism, and can be used for attribute **change** ... of the JBossNS **Naming interface**. If not specified the javax.net. ...

lab.lpicn.org/pub/books/JBoss%20Administration%20(3.2.x%20Series)%20-%202003.pdf - [Similar pages](#) - [Note this](#)

[PDF] EVALUATION COPY

File Format: PDF/Adobe Acrobat

locates the Enterprise **JavaBean**, a **reference** to the EJB **object** is returned to the ... and **directory services**. Specifically, JNDI is an **interface** to a ...

www.computerprep.com/proddesc/Courseware_Sample/CCN03CEEJBSPR303.PDF - [Similar pages](#) - [Note this](#)

[PDF] SUSE LINUX Documentation

File Format: PDF/Adobe Acrobat

for **naming interface** configurations. You can use **interface** names as soon as they appear. ... a **directory request** does not contain a trailing slash. ...

ftp.opensuse.org/pub/opensuse/distribution/SL-10.1/inst-source/docu/en/reference_en.pdf - [Similar pages](#) - [Note this](#)

SVN change log for h2o-1.1

Previously, the second call would create new pluglet context **objects**, and listeners ... (via Rmix.export()), without complicating **Naming interface** too much. ...

dcl.mathcs.emory.edu/h2o/dist/h2o-1.1/h2o-1.1-changelog.html - [Similar pages](#) - [Note this](#)

[dcl] Log of /software/harness2/trunk

API update: Exportable **interface** now allows the remote **object** to access default ... no. need for being externalizable since it conforms to the **Java Beans** ...

dcl.mathcs.emory.edu/cgi-bin/viewvc.cgi/software/harness2/trunk/?view=log - [Similar pages](#) - [Note this](#)

[[More results from dcl.mathcs.emory.edu](#)]

Scribd - Hungry Minds - BEA WebLogic Server Bible - 2002 - (By ...

Cross Reference WebLogic's support for **Web Services**, WSDL, ... JavaBeans are **objects** written in **Java** that encapsulate data and **behavior** in a way that allows ...

www.scribd.com/doc/10697/Hungry-Minds-BEA-WebLogic-Server-Bible-2002-By-Laxxuss - [Similar pages](#) - [Note this](#)

[PDF] WebSphere for z/OS V4 Problem Determination

File Format: PDF/Adobe Acrobat

services are used to provide a method for finding **Java objects** (EJBs) and ... z/OS server (System Management, **Naming**, **Interface Repository**, and the IVPs) ...

<ftp.inf.utfsm.cl/pub/Docs/IBM/WebSphere/pdfs/sg246880.pdf> - [Similar pages](#) - [Note this](#)

[PDF] No Job Name

File Format: PDF/Adobe Acrobat

This functionality is in the form of a **Java Bean**, which ... version number of the **reference**, and the **location** of the **object** in the /etc file. system. ...

<192.18.109.11/816-0220/816-0220.pdf> - [Similar pages](#) - [Note this](#)

序列化表格(Java 2 Platform SE 5.0)- [[Translate this page](#)]

类**java.beans.PropertyChangeSupport** 继承**Object** 实现**Serializable** ... 为了从**Java**

Directory and Naming Interface (JNDI) 命名服务中检索 **DataSource** ...

ebook.cjsdn.cn/J2SE_5_API_CN/serialized-form.html - [Similar pages](#) - [Note this](#)

序列化表格(Java 2 Platform SE 6)- [[Translate this page](#)]

类**java.beans.PropertyChangeSupport** 继承**Object** 实现**Serializable** ... 为了从**Java**

Directory and Naming Interface (JNDI) 命名服务中获取 **DataSource** ...

gceclub.sun.com.cn/Java_Docs/jdk6/html/zh_CN/api/serialized-form.html -

[Similar pages](#) - [Note this](#)

From [sneakums at zork.net](#) Thu Mar 1 02:17:01 2001 From: [sneakums](#) ...

In addition to the **naming interface**, FNS also specifies policies for ... things **change**.

decklin@red-bean.com From [crackdonkey at donkeyshow.org](#) Tue Mar 6 ...

crackmonkey.org/pipermail/crackmonkey/2001-March.txt - 708k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Naming on JBoss > The JBossNS Architecture

Same-VM access occurs through an **object reference** that is available as a global ... In

addition, the **NamingService** exposes the **Naming interface** operations ...

www.informit.com/articles/article.asp?p=384904&seqNum=2 - 76k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Chapter 3. Naming on JBoss

Same VM access occurs through an **object reference** available as a global singleton ... In

addition, the **NamingService** exposes the **Naming interface** operations ...

docs.jboss.org/jbossas/jboss4guide/r2/html/ch3.chapter.html - 151k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Chapter 3. Naming on JBoss

The naming **service** plays a key role in enterprise **Java** applications, ... In addition, the

NamingService exposes the **Naming interface** operations through a ...

docs.jboss.org/jbossas/jboss4guide/r4/html/ch3.chapter.html - 144k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from docs.jboss.org](#)]

CORE JAVA

However, **Java** does manipulate **objects** by **reference**, and all **object** variables ...

Directory Interface- JNDI includes a **directory service interface** that ...

javaquestion.tripod.com/ThilipQA.html - 436k - [Cached](#) - [Similar pages](#) - [Note this](#)

[jboss-cvs] jboss-docs/jbossas/j2ee/en ...

This is similar to the **JavaBean** property **change** notification mechanism, ... new **HashMap**

(**;** // Build the **Naming interface** method map **Method[]** methods ...

lists.jboss.org/pipermail/jboss-cvs-commits/2006-September/007861.html -

[Similar pages](#) - [Note this](#)

[PDF] The JBoss 4 Application Server Guide

File Format: PDF/Adobe Acrobat

directory is the default **location** for static **Java** libraries that should not be hot ... So, the default entity **bean** locking **behavior** will lock an entity **bean** ...
140.109.17.99/boyaMedia/index.php?s=fetch&a=&q=The%20JBoss%20Application%20Server%20Guide - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 55 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(naming interface<in>metadata)"

Your search matched 5 of 1540244 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

(naming interface<in>metadata)

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **LIVE-Integrating visual and textual programming paradigms**
 Kojima, K.; Matsuda, Y.; Futatsugi, S.;
[Visual Languages, 1989. IEEE Workshop on](#)
 4-6 Oct. 1989 Page(s):80 - 85
 Digital Object Identifier 10.1109/WVL.1989.77046
[AbstractPlus](#) | Full Text: [PDF\(620 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **MobiGATE: a mobile computing middleware for the active deployment of services**
 Zheng, Y.; Chan, A.T.S.;
[Software Engineering, IEEE Transactions on](#)
 Volume 32, Issue 1, Jan. 2006 Page(s):35 - 50
 Digital Object Identifier 10.1109/TSE.2006.11
[AbstractPlus](#) | Full Text: [PDF\(3264 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Interface Mutation: an approach for integration testing**
 Delamaro, M.E.; Maidonado, J.C.; Mathur, A.P.;
[Software Engineering, IEEE Transactions on](#)
 Volume 27, Issue 3, March 2001 Page(s):228 - 247
 Digital Object Identifier 10.1109/32.910859
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(568 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Software Components Services for Embedded Real-Time Systems**
 Luders, F.; Flemstrom, D.; Wall, A.;
[Software Architecture, 2005. WICSA 2005. 5th Working IEEE/IFIP Conference](#)
 06-10 Nov. 2005 Page(s):278 - 279
 Digital Object Identifier 10.1109/WICSA.2005.66
[AbstractPlus](#) | Full Text: [PDF\(112 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Integration testing using interface mutation**
 Delamaro, M.E.; Maldonado, J.C.; Mathur, A.P.;
[Software Reliability Engineering, 1996. Proceedings., Seventh International Sy](#)
 30 Oct.-2 Nov. 1996 Page(s):112 - 121
 Digital Object Identifier 10.1109/ISSRE.1996.558719

[AbstractPlus](#) | [Full Text: PDF\(684 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

Indexed by
 Inspec[®]

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –